

FOOD SERVICE

STATE OF FLORIDA DEPARTMENT OF HEALTH FOOD SERVICE INSPECTION REPORT



PURPOSE:

- ROUTINE REINSPECTION
 CONSTRUCT. CHANGE OF OWNER
 COMPLAINT CONSULTATION
 QA SURVEY EPIDEMIOLOGY
 OTHER

TYPE:

- HOSPITAL CIMC CHILD
 NURSING MOVE LIMITED
 DETENTION SCHOOL OTHER
 LOUNGE RESIDENTIAL

NAME New Dimensions High School, Inc.
ADDRESS 4900 Old Pleasant Hill Rd **CITY** Kissimmee
PHONE 870-9949 **ZIP** 34758
PERSON IN CHARGE Chris / Jackie

RESULTS:

- Satisfactory
 Incomplete
 Citation Issued
 Stop Use Order
 Unsatisfactory
 OUT OF BUSINESS

Correct Violations by
 Next Inspection
 8:00 AM on

BEGIN TIME	END TIME	DATE ASSESSED	POSITION #	EXISTING FACILITIES - PERMIT NUMBER	EH PLAN FOLLOW UP
1130	1200	12/12/2008	68620	49-48-00147	

Items marked below violate the requirements of Chapter 64E-11 of the Florida Administrative Code and must be corrected. Continued operation of this facility without making these corrections is a violation of Chapter 64E-11, Florida Administrative Code and Chapters 381 and 386, Florida Statutes. Violations must be corrected by the date and time indicated in the Results section above or an administrative fine or other legal action will be initiated.

- | | | | |
|---|--|---|---|
| <p>FOOD SUPPLIES</p> <p><input type="checkbox"/> 1. Sources etc.</p> <p>FOOD PROTECTION</p> <p><input type="checkbox"/> 2. Stored temperature</p> <p><input type="checkbox"/> 3. No further cooking/rapid cooling</p> <p><input type="checkbox"/> 4. Thawing</p> <p><input type="checkbox"/> 5. Raw fruits</p> <p><input type="checkbox"/> 6. Pork cooking</p> <p><input type="checkbox"/> 7. Poultry cooking</p> <p><input type="checkbox"/> 8. Other animal cooking</p> <p><input type="checkbox"/> 9. Least contact/reheating</p> <p><input type="checkbox"/> 10. Food container</p> <p><input type="checkbox"/> 11. Buffet requirements</p> <p><input type="checkbox"/> 12. Self-service condiments</p> <p><input type="checkbox"/> 13. Reservice of food</p> | <p><input type="checkbox"/> 14. Sneeze guards</p> <p><input type="checkbox"/> 15. Transportation of food</p> <p><input type="checkbox"/> 16. Poisonous/toxic materials</p> <p>PERSONNEL</p> <p><input type="checkbox"/> 17. Exclusion of personnel</p> <p><input type="checkbox"/> 18. Cleanliness</p> <p><input type="checkbox"/> 19. Tobacco use</p> <p><input type="checkbox"/> 20. Handwashing</p> <p><input type="checkbox"/> 21. Handling of dishware</p> <p>EQUIPMENT/UTENSILS</p> <p><input type="checkbox"/> 22. Refrigeration facilities/Therm.</p> <p><input type="checkbox"/> 23. Sinks</p> <p><input type="checkbox"/> 24. Ice storage/counter-protector</p> <p><input type="checkbox"/> 25. Ventilation/Storage/Sufficient equip.</p> <p><input type="checkbox"/> 26. Dishwashing facilities</p> | <p><input type="checkbox"/> 27. Design and fabrication</p> <p><input type="checkbox"/> 28. Installation and location</p> <p><input type="checkbox"/> 29. Cleanliness of equipment</p> <p><input type="checkbox"/> 30. Methods of washing</p> <p>SANITARY FACILITIES AND CONTROLS</p> <p><input type="checkbox"/> 31. Water supply</p> <p><input type="checkbox"/> 32. Ice</p> <p><input type="checkbox"/> 33. Sewage</p> <p><input type="checkbox"/> 34. Plumbing</p> <p><input type="checkbox"/> 35. Toilet facilities</p> <p><input type="checkbox"/> 36. Handwashing facilities</p> <p><input type="checkbox"/> 37. Garbage disposal</p> <p><input type="checkbox"/> 38. Vermin control</p> | <p>OTHER FACILITIES AND OPERATIONS</p> <p><input type="checkbox"/> 39. Other facilities and operations</p> <p>TEMPORARY FOOD SERVICE EVENTS</p> <p><input type="checkbox"/> 40. Temporary food service events</p> <p>VENDING MACHINES</p> <p><input type="checkbox"/> 41. Vending machines</p> <p>MANAGER CERTIFICATION</p> <p><input type="checkbox"/> 42. Manager certification</p> <p>CERTIFICATES AND FEES</p> <p><input type="checkbox"/> 43. Certificates and fees</p> <p>INSPECTION/ENFORCEMENT</p> <p><input type="checkbox"/> 44. Inspection/Enforcement</p> |
|---|--|---|---|

COMMENTS AND INSTRUCTIONS

chlorine reading is 1.43ppm

No hot water in bathrooms

Milk cooler temperature is at 38 degrees Fahrenheit

No violations observed during inspection

jacqueline.dodge@hotmail.com

INSPECTION CONDUCTED BY: Laurie L. Owens **PHONE:** 407-742-8605
INSPECTION COND SIGNATURE: Laurie L. Owens **PHONE:** same
COPY OF REPORT RECEIVED BY: J. Gunn **DATE:** 12/12/2008